

JCB35NH4

Control Box



Data sheet

JCB35NH4

- JCB35NH4 controller has better comprehensive performance of the system.
- More intelligent software algorithm, higher system transmission efficiency, under the same working conditions, the power consumption is reduced by 12.5%.
- It has a 65W DC socket, supports 65W fast charging accessories, and can be connected to JC Eco System.
- Handset plug ten-pin, support 15W fast charging handset.
- Side line groove design, more clean cable layout.
- The power lamp shows the running state of the control box.
- Equipped with a six-axis sensor, more sensitive to setbacks.



Features

- Number of control columns: 4
- Color: Black
- House: ABS with snap structure, no screws
- Installing way: Can be fixed on the table plate or on the frame
- Overload protection: Set the limit value to avoid over burden motion
- Overheating protection
- Short circuit protection
- Slow start slow stop
- Built-in Bluetooth mesh

Option

- 2.4G wireless receiver box
- 65W fast charging box for mobile phone, tablet, laptop charging
- Lithium-ion battery case for powering the controller without AC power
- W2 Wireless Charging Case


Usages

- Duty cycle: S2-20 min. Continuous work for most 2 minutes in a period of 20 minutes
- Ambient surrounding: Indoor

Technical specifications

- Size: 255x96x40mm
- Input voltage: 100-240V
- Output power: 450W
- Standby power consumption: 0.15W

Dimensions



Ordering Key

JCB35NH4-2E8-3-Z3-3D0-650(650)555(560)

