

# Li-ion battery

JCP35PA-B-3



Data sheet

## JCP35PA-B-3

- JCP35PA-B-3 rechargeable lithium box is a power lithium designed and developed for customers' adjustable desk. Only charging needs power cable can suitable for mobile office scenarios. It has functions such as USB charging, over charging protection, over discharge protection, over current protection, short-circuit protection and etc.
- Fit with JCB35M and JCB35NS Series control box.



---

### Features

- Compact device for easy operation and installation
- JCP35PA-B-3 is powered by high-quality SAMSUNG batteries
- Charging Alarm
- Provide 5VAC/2A USB Charging for Hand-held Devices
- LED status indicator
- Overheat and recharge protection
- Color: Black
- Mounting structure is easy to assemble and disassemble for charging

## Usage

- Working temperature: 5°C+40°C
- Storage and temperature: 0°C+45°C

## Certification

- EN 62133
- CB: IEC62133
- TUV-mark
- SAA: AS/NZS62133
- KC: K62133
- CUL
- PSE: J62133
- UN38.3
- MSDS

---

## Technical specifications

- Capacity:2.2 Ah / 53 WH
- Nominal voltage: 24VAC
- Discharge current  $\leq$  9A
- Max charge voltage:40V DC
- Charge current: 0.5A

## Dimensions



