

Power supply JCP35PA-Q1



Data sheet

Power supply JCP35PA-Q1

- JCP35PA-Q1 is a new AC adapter which can be installed or put on the item. The standby power consumption is less than 0.5W, which is environmental friendly.
- 3 protection mechanism can improve the service life.




Features

- Input voltage: 100 ~ 240VAC
- Input current: Max3.5A
- Input frequency: 50-60Hz
- Output voltage: 29VDC
- 100-240V is allowed to fit all countries' supply voltage
- Stable output, current fluctuation is less than 300mA
- Duty cycle: 10%, max. 2min.continuous working and 18 min. Off
- Standby power consumption: <0.5W
- Color: Black/Grey
- IP grade: Max. IP66
- Protection mechanism: overheat, over current and short-circuit protections


Usage

- Operating temperature: +5°C to +40°C
- Reserve temperature: -10°C to +50°C
- Operating humidity: 20% to 80%, non-condensing
- Atmospheric pressure: 860 to1060hPa
- Altitude: Max. 2000m
- Approval: IEC/EN60601-1 edition 3.1
EMC: IEC60601-1-2
ANSI/AAMI ES60601-1
CAN/CSA-C22.2 No. 60601-1:14

Dimension drawing with installing parts



without installing parts




Ordering Key

Model	JCP35PA-Q1	JCP35PA-Q1 Power supply
Color	X	B=Black G=Grey
Input voltage	X	3=110VAC-240VAC
Output voltage/current	XX	29V/2A
Input plug	XX	PAGG=C7/C8
Output plug	XX	C01FSM=01plug of water-proof
Cable length	XX	0D1=0.1m

Naming regulation

JCP35PA - Q1 - G - 3 - 29V/2A - PAGG - C01FSM - 0D1



Disclaimer and Exclusion of Liability

The user must determine the suitability of JIECANG products under specific conditions. JIECANG is committed to providing accurate latest product information. However, due to JC's continuous improvement of its products, JC's products may not be notified in advance with frequently changes. Therefore, JIECANG cannot guarantee the correctness and authenticity of the product information. Although JIECANG will do our best to meet the order requirements, for the above reasons, JIECANG cannot guarantee the delivery ability of any specific product. Therefore, JIECANG reserves the right to stop selling any products listed on the website or product catalog or other JIECANG written materials. All sales activities must be carried out in accordance with the requirements of the JIECANG Sales and Delivery Standard Terms. For copies of related documents, please contact JIECANG.